DUAL DRYER FOR BOOTS, SHOES AND GLOVES

Boots, shoes and gloves are used day in day out, intensively, and in greatly varying Page | 1 temperature and weather conditions. The result: wet or damp handwear or footwear. To start with comfortable and hygienic gear, Pronomar is supplying an ingenious drying system: the DUAL dryer for small industrial or home applications.

Pronomar's NEW robust DUAL system combines the best of both worlds and dries the gear from the inside out by means of both, electrically heated hangers and a freely adjustable air flow. This compact plug-and-play system is ideal for a smaller number of items. On the uniquely designed rounded hangers you can dry all kinds of footwear, gloves and headwear.

DUAL DRYER - HOME SYSTEM

rotary knob for freely adjustable air flow

flexible C13/14 plug connection

rounded hangers electrically heated and with nozzles for a constant air flow

stainless steel 304 or 316 2 years full warranty on stainless steel and all electrical parts

available for 2 or 4 pairs of boots, shoes or gloves 2 pairs: W 29 x H 55/85 x D 38/48cm 4 pairs: W 58 x H 55/85 x D 38/48cm

available with timer

Advantages

- + dry and hygienic equipment
- + lifespan PPE extends by 2-3 times
- + improvement for work and leisure
- + drying from inside-out
- + easy-to-operate
- + robust, nearly indestructible system
- + compact and space-saving
- + plug and play
- + CE marked

Features

- + integrated fan
- + no wear and tear parts
- + designed for continuous use
- + equal and constant air flow
- + freely adjustable air flow (0 100) for speed drying
- + with electrically heated hangers (eco-mode)
- + connection to 230 V
- + low energy consumption: 2 pairs, 80 - 150 W/h 4 pairs, 140 - 210 W/h

You **wear** it. we **dry** it!



PX33








DUAL DRYER FOR BOOTS, SHOES AND GLOVES

Page | 2





Model	Art. Number	Dimensions	Space required
DUAL2	PX33.02.B	W 29 x H 55 x D 38 cm	W 29 x H 85 x D 48 cm
DUAL4	PX33.04.B	W 58 x H 55 x D 38 cm	W 58 x H 85 x D 48 cm



option: wall-mounted in a back-to-back position

Energy consumption	DUAL2	DUAL4
ECO MODE electrically heated hangers, low energy consumption	80 W/h	140 W/h
SPEED MODE with freely adjustable air flow (0-100)	150 W/h	210 W/h

PX33